

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A film magazine for feeding a roll film with an emulsion surface along a film feeding path from a feeder spool to a take-up spool via a film support plate, said film magazine comprising:

a first guide roller disposed between said feeder spool and said film support plate, said first guide roller turns said emulsion surface outward and feeds said roll film to said film support plate;

a second guide roller disposed between said film support plate and said take-up spool, said second guide roller turns said emulsion surface inward and feeds said roll film to said take-up spool; and

a roller disposed on the opposite side of said first guide roller or said second guide roller with respect to said film feeding path, said roller ~~member comes~~ being positioned to come into contact with said roll film at one of a point along the film feeding path between the second guide roller and the take-up spool, and a point along the film feeding path between the first guide roller and the feeder spool to regulate loosening of said

roll film when said roll film is loosened and away from said film feeding path.

2. (original) A film magazine as defined in claim 1, wherein said film magazine comprises a film holder for retaining said roll film and a magazine body for covering said film holder, said roller is attached to said magazine body to protrude into said film feeding path.

3. (currently amended) A film magazine as defined in claim 1, wherein said roller is positioned so that it comes into contact with said roll film at a point along the film feeding path between ~~which is being fed from~~ said second guide roller ~~to~~ and said take-up spool.

4. (currently amended) A film magazine as defined in claim 1, wherein said roller is positioned so that it comes into contact with said roll film at a point along the film feeding path between ~~which is being fed from~~ said feeder spool ~~to~~ and said first guide roller.

5. (currently amended) A film magazine as defined in claim 1, further comprising:

a rib ~~which comes~~ positioned to come into contact with ~~the only a~~ margin of said roll film outside of an exposure area in a widthwise direction of said roll film when said roll film is loosened and is being away from said film feeding path.

6. (original) A film magazine as defined in claim 5, wherein said rib and said roller are arranged along said widthwise direction.

7. (new) A film magazine for feeding a roll film with a first emulsion surface and second opposite surface along a film feeding path from a feeder spool to a take-up spool via a film support plate, said film magazine comprising:

a first guide roller disposed between said feeder spool and said film support plate, said first guide roller making contact with the second surface of the roll film, the roll film being wound around the feeder spool so that the first side faces inward;

a second guide roller disposed between said film support plate and said take-up spool, said second guide roller making contact with the second surface of the roll film, the roll film being wound around the take-up spool so that the first side faces inward; and

a roller disposed to make contact with the first side of the roll film as the roll film moves from the second guide roller to the take-up spool;

wherein the roller is positioned so that the roller does not make contact with the roll film if the roll film passes tightly around the second guide roller and the take-up spool, the roller making contact with the roll film only if there is slack

in the roll film between the second guide roller and the take-up spool.

8. (new) A film magazine as defined in claim 7, wherein said film magazine comprises a film holder for retaining said roll film and a magazine body for covering said film holder, said roller being attached to said magazine body to protrude into said film feeding path.

9. (new) A film magazine as defined in claim 7, further comprising:

a rib positioned to come into contact with only a margin of said roll film outside of an exposure area in a widthwise direction of said roll film when there is slack in said roll film between the second guide roller and the take-up spool.

10. (new) A film magazine as defined in claim 9, wherein said rib and said roller are arranged along said widthwise direction.

11. (new) A film magazine for feeding a roll film with a first emulsion surface and second opposite surface along a film feeding path from a feeder spool to a take-up spool via a film support plate, said film magazine comprising:

a first guide roller disposed between said feeder spool and said film support plate, said first guide roller making contact with the second surface of the roll film, the roll film

being wound around the feeder spool so that the first side faces inward;

a second guide roller disposed between said film support plate and said take-up spool, said second guide roller making contact with the second surface of the roll film, the roll film being wound around the take-up spool so that the first side faces inward; and

a roller disposed to make contact with the first side of the roll film as the roll film moves from the feeder spool to the first guide roller;

wherein the roller is positioned so that the roller does not make contact with the roll film if the roll film passes tightly around the first guide roller and the feeder spool, the roller making contact with the roll film only if there is slack in the roll film between the first guide roller and the feeder spool.

12. (new) A film magazine as defined in claim 11, wherein said film magazine comprises a film holder for retaining said roll film and a magazine body for covering said film holder, said roller being attached to said magazine body to protrude into said film feeding path.

13. (new) A film magazine as defined in claim 11, further comprising:

a rib positioned to come into contact with only a margin of said roll film outside of an exposure area in a widthwise direction of said roll film when there is slack in said roll film between the first guide roller and the feeder spool.

14. (new) A film magazine as defined in claim 13, wherein said rib and said roller are arranged along said widthwise direction.